

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: **Clear**
Poly(Gloss,Semi-gloss,satin,flat)
 CHEMICAL FAMILY NAME: Water-based wood
 topcoat (gloss,semi-gloss,satin,flat)
 U.N. NUMBER: None
 U.N. DANGEROUS GOODS CLASS: Non-Regulated Material
 SUPPLIER/MANUFACTURER'S NAME: **General Finishes Corp.**
 ADDRESS: 2462 Corporate Circle, East Troy, WI 53072 USA
EMERGENCY PHONE: 1-262-642-4545 Chemtrec 800-424-9309
 BUSINESS PHONE: 1-800-783-6050 (Product Information)
 WEB SITE: www.generalfinishes.com
 DATE OF PREPARATION: April 19, 2013
 DATE OF LAST REVISION: December 10, 2012

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

Product Description: This product is an amber moist paste with a slight odor.

Health Hazards: May be harmful if swallowed. Prolonged or repeated exposure may cause irritation to skin. Dust generated by sanding, sawing or modifying this hardened product may cause irritation to eyes and respiratory system.

Flammability Hazards: This product is Non-Flammable

Reactivity Hazards: None known.

Environmental Hazards: This product is not expected to be environmentally hazardous.

Emergency Considerations: Emergency responders must wear the proper personal protective equipment (and have appropriate fire-suppression equipment) suitable for the situation to which they are responding.

US DOT SYMBOLS	CANADA (WHMIS) SYMBOLS	EUROPEAN and (GHS) Hazard Symbols
Non-Regulated	Not Controlled	
Signal Word: Warning!		
EU LABELING AND CLASSIFICATION:		
Classification of the substance or mixture according to Regulation (EC) No1272/2008 Annex 1		
EC# 231-784-4 This substance is not classified in the Annex I of Directive 67/548/EEC		
EC# 207-439-9 This substance is not classified in the Annex I of Directive 67/548/EEC		
EC# 310-194-1 This substance is not classified in the Annex I of Directive 67/548/EEC		
EC# 232-536-8 This substance is not classified in the Annex I of Directive 67/548/EEC		
EC# 238-878-4 This substance is not classified in the Annex I of Directive 67/548/EEC		
EC# 232-148-9 This substance is not classified in the Annex I of Directive 67/548/EEC		
GHS_Hazard_Classification(s):		
None		
Hazard Statement(s):		Precautionary Statement(s):
H302: Harmful if swallowed H315: Causes skin irritation		P260: Do not breath dust/fume/gas/mist/vapors/spray P264: Wash hands thoroughly after handling P280: Wear protective gloves/protective clothing/eye protection/face protection
EU HAZARD CLASSIFICATION PER DIRECTIVE 1999/45/EC:		
[Xi] Irritant		
Risk Phrases:		

R22: Harmful if swallowed

R38: Irritating to skin

Safety Phrases:

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

ACUTE:

INHALATION: Inhalation of dusts resulting from sanding, sawing or modifying dried product may irritate the respiratory tract.

SKIN: Prolonged or repeated exposure may cause skin irritation.

EYES: Contact with eyes may cause irritation.

INGESTION: May be harmful if swallowed.

CHRONIC: This product contains ingredients that are known to cause cancer.

TARGET ORGANS: ACUTE: Eye, Skin

CHRONIC: Respiratory System

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #	EINECS #	ICSC #	WT %	HAZARD CLASSIFICATION: RISK PHRASES
Urethane/Acrylic Dispersion	N/A	N/A	N/A	50%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36
Dipropylene glycol monomethyl ether	34590-94-8	252-104-2	0788	1-5%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36/R22/R38
Pyrogenic silica	112945-52-5	231-545-4		1 – 5%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36/37/38
Water	7789-20-0	2 3 2 - 1 4 8 - 9	Not Listed	Balance	HAZARD CLASSIFICATION: None RISK PHRASES: None

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard *JIS Z 7250: 2000*.

SECTION 4 - FIRST-AID MEASURES

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation develops.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder contaminated clothing before re-use.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing difficulty continues.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin, or respiratory system problems may be aggravated by exposure to this product.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SECTION 5 - FIRE-FIGHTING MEASURES

FLASH POINT:	Non-Flammable	
AUTOIGNITION TEMPERATURE:	Not Applicable	
FLAMMABLE LIMITS (in air by volume, %):	<u>Lower (LEL):</u> Not Applicable	<u>Upper (UEL):</u> Not Applicable
FIRE EXTINGUISHING MATERIALS:	Carbon dioxide, foam, dry chemical, halon or water .	
UNUSUAL FIRE AND EXPLOSION HAZARDS:	This product has no known fire and explosion hazards.	
<u>Explosion Sensitivity to Mechanical Impact:</u>	Not Sensitive.	
<u>Explosion Sensitivity to Static Discharge:</u>	Not Sensitive	
SPECIAL FIRE-FIGHTING PROCEDURES:	Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.	

NFPA RATING SYSTEM

HMIS RATING SYSTEM

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM

Flammability

Health

0

0

Reactivity

-

Other

For Routine Industrial Use and Handling Applications

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Personnel should be trained for spill response operations.

SPIILLS: Pick up and place in appropriate container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing dusts generated by this product. Use in a well-ventilated location. Remove contaminated clothing.

STORAGE AND HANDLING PRACTICES: Store in a well ventilated area and protect from physical damage. Keep containers closed when not in use. Good general housekeeping procedure should be followed. The product contains water so freezing conditions should be avoided.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

EXPOSURE LIMITS/GUIDELINES:

Chemical Name	CAS#	ACGIH TWA	OSHA TWA	WEEL
Dipropyleye Glycol Monomethyl Ether	34590-94-8	110 ppm	100ppm	Not Listed
Pyrogenic Silica	112945-52-5	0.5 mg/m ³	0.1 mg/m ³	0.5 mg/m ³
Water	7789-20-0	Not Listed	Not Listed	Not Listed

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Safety glasses or chemical goggles as appropriate to prevent eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.

HAND PROTECTION: Use chemical resistant gloves to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.

BODY PROTECTION: Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

PHYSICAL STATE:	liquid
APPEARANCE & ODOR:	slight odor, milky white liquid
ODOR THRESHOLD (PPM):	Slight
VAPOR PRESSURE (mmHg):	Not Applicable
DENSITY:	Not Available
EVAPORATION RATE (nBuAc = 1):	Not Available
BOILING POINT (C°):	212°F (100°C)
FREEZING POINT (C°):	32°F (0°C)
pH:	Not Available
SPECIFIC GRAVITY 20°C: (WATER =1)	1.04
SOLUBILITY IN WATER (%)	soluble

SECTION 10 - STABILITY and REACTIVITY

STABILITY: Product is stable

DECOMPOSITION PRODUCTS: Thermal decomposition may produce oxides of carbon.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Strong oxidizing agents.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Contact with incompatible materials.

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data available for this product:

- No LD/C 50 Data Available

SUSPECTED CANCER AGENT: One or more of this products ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is considered to be, or suspected to be a cancer-causing agent by these agencies.

Pyrogenic Silica CAS# 112945-52-5

ACGIH A2

IARC Group 1

NTP Proven Carcinogen

California Prop 65: This product does contain ingredients which are known to the state of California to cause cancer, birth defects, or other reproductive harm. Crystalline Silica as quartz CAS# 14808-60-7

IRRITANCY OF PRODUCT: Contact with this product can be irritating to exposed skin and eyes.

SENSITIZATION OF PRODUCT: This product is not considered a skin sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No information concerning the effects of this product and its components on the human reproductive system.

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION. ENVIRONMENTAL STABILITY: No specific data is available for this product, however this product is expected to be

readily biodegradable

EFFECT OF MATERIAL ON PLANTS or ANIMALS: No evidence is currently available on this product's effects on plants or animals.

EFFECT OF CHEMICAL ON AQUATIC LIFE: No evidence is currently available on this product's effects on aquatic life.

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

RCRA WASTE CODE: None

EU WASTE CODE: None

SECTION 14 - TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

THIS PRODUCT IS NOT CLASSIFIED AS DANGEROUS GOODS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Non-Regulated Material

HAZARD CLASS NUMBER and DESCRIPTION: None

UN IDENTIFICATION NUMBER: None

PACKING GROUP: None

DOT LABEL(S) REQUIRED: None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): None

MARINE POLLUTANT: This product does not contain any ingredients that are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: This product is not classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

This product is not classified as Dangerous Goods, by rules of IATA:

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is not classified as Dangerous Goods by the International Maritime Organization.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312:

Acute
Health:

Yes Chronic Health: Yes Fire: No Reactivity: No

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): Ingredients of this product are found on the California Proposition 65 lists.

WARNING! This product contains ingredients that are known to the State of California to cause cancer or reproductive harm.

CANADIAN REGULATIONS:

CANADIAN DSL/NDL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This product is categorized as Not Controlled as per the Controlled Product Regulations

EUROPEAN ECONOMIC COMMUNITY INFORMATION: EU

LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed on the AICS.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac:	Listed
Australian Inventory of Chemical Substances (AICS):	Listed
Korean Existing Chemicals List (ECL):	Listed
Japanese Existing National Inventory of Chemical Substances (ENCS):	Listed
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	Listed
Swiss Giftliste List of Toxic Substances:	Listed
U.S. TSCA:	Listed

SECTION 16 - OTHER INFORMATION

PREPARED BY: Ryan Denny

Disclaimer: The information and recommendations in this document are accurate to the best of our knowledge. User must conduct their own tests to determine the suitability of these products for their particular purposes. Because of numerous factors affecting results, General Finishes Corp. MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR PURPOSE, other than the material conforms to our applicable current specifications. General Finishes Corp. assumes no legal responsibility for use or

reliance on the information contained in this Material Safety Data Sheet.